



ALSAP s.r.o.

CS5

CS5 - development in individual years (2021, 2022 and 2023)




CS5 is a modular kit for vehicles up to 5t with the modern and practical design. The kit is manufactured and assembled using new CNC cutting machine technologies that guarantee maximum precision of individual parts of the CS5 body kit assembly. Used materials are more resistant to corrosion and the higher strength guarantees trouble-free daily operation. The low weight of the body kit is also positively reflected in the economy of operation. Thanks to feedback from our customers and operators, the innovative elements of the CS5 body kit are continuously being developed, which doesn't only meet safety and environmental criteria, but also meet the requirements of modern trends in transport and logistics.



25 hours Modular system CS5 should be assembled completely within 25 hours (frame, pillars, roof, floor, tarpaulin). Completely assembled kits or their parts are being transported by ALSAP logistic solutions or contractors. Aluminum and painted parts are packed in stretch and bubble wrap to ensure safe transport.

Front wall

The inovative WAVE range of aluminium profiles is recommended for the CS5 front wall, which enable easy, fast and reliable assembly. ALSAP's WAVE profiles are different from standard profiles by their characteristic "wave" pattern and are specially designed for the CS5 body kit.




Frame

Variable aluminium part for mounting on the chassis, with corrosion-resistant coating. The frame consists improved profiles using safety elements. The height of subframes can be used between 90 to 130 mm – offering C or T types. Plywood desks can be installed 15/18 mm, depending on height of crossbars 70/90 mm. Frame can be delivered as prefabricated material or fully mounted frame. Cargo security points can be also installed.


Painting

We use experienced sub-contractor with knowledge of processing know-how and first-class certified technologies of the largest powder coating company in Europe. The customer can choose from the complete RAL spectrum. Some of unusual styling, special decors imitating carbon, wood, etc. are also available. The production technology guarantees a durable and quality processing with long-lasting colour stability.



Pillars

The front aluminium pillars with integrated front wall can be implemented to the sidewalls or sliding side use. The rear pillars also offer more solutions like sidewalls, flaps or doors. The biggest advantage is very fast side tarp tensioning. The side pillar is one of the flexible elements of the body kit, which can be moved to the side when the sidewalls are opened, providing access to the load area. The pillars include the storage of the tarpaulin planks and therefore offers faster installation.





Roof is a fully innovative part, which is basically made of aluminium profile Omega 25 mm and guiding profiles. The roof can be fixed or sliding, using high quality side sealing. The fixed roof can be fitted with tarpaulin or 2 mm laminate with omega profiles. Also, the roof connectors allow easy installation into the pillars with a slide-on mounting kit.

alsap

CS5 sloupky

310040
Profil sloupky 76 x 166 mm
337344
Montážní sada CS5, 68 mm, typ 5

313100
Profil sloupky 68x123
výška: 2,37kg/m



PROFIL STŘECHY



335020
Profil střechy CS-6 76x62
výška: 2,14kg/m

MONTÁŽNÍ SADA




335035

Montážní sada CS-6
68 mm, LP
výška: 0,3kg



335037

Montážní sada CS-6
68 mm, ZL
výška: 0,3kg



NAB_06_30_MKS
Spojovací šroubek M6x30

218566
Podpora sloupku univerzální
U 28-150mm - ZH
výška: 0,17kg/m

218567
Deska zvláštní do spárky
70x43mm - gorník, ZH M12
výška: 0,17kg/m

Provozovna a sklad:
Průmyslová 304
267 01, Králův Dvůr u Berouna
tel: 606 052 455
prodej@alsap.cz

Kancelář:
Lauzinova 529
293 01, Mladá Boleslav
tel: 734 622 929
houser@alsap.cz

Kancelář a sklad:
Pavelskova 2
779 00, Olomouc
tel: 731 000 782
stecker@alsap.cz



www.alsap.cz

alsap

CS5 sloupky

310040
Profil sloupky 76 x 166 mm, 6
337310
Profil sloupky 76x CS4 Mega
337344
Montážní sada CS5, 68 mm, typ 5

320100
Profil sloupky 100x158
výška: 3,19kg/m



PROFIL STŘECHY



335020
Profil střechy CS-6 76x62
výška: 2,14kg/m

MONTÁŽNÍ SADA



335032

Montážní sada CS-6 100 - PL
výška: 0,3kg



335033

Montážní sada CS-6 100 - ZP
základní sada, zvláštní deska
výška: 0,3kg



335030


Montážní sada CS-6 100 - LP
výška: 0,3kg



335031

Montážní sada CS-6 100 - ZL
základní sada, zvláštní deska
výška: 0,3kg

335020
Profil střechy CS 12 66x62
výška: 2,8kg/m



335052_A1

Montážní sada CS 12
CS12-6 - PL, ZL
výška: 0,3kg



335051_A1

Montážní sada CS 12
CS12-6 - ZP, na střeše
základní sada, zvláštní deska
výška: 0,3kg




335050_A1

Montážní sada CS 12
CS12-6 - PL, ZP
výška: 0,3kg



335053_A1

Montážní sada CS 12
CS12-6 - ZL, na střeše
základní sada, zvláštní deska
výška: 0,3kg



NAB_06_30_MKS
Spojovací šroubek M6x30

218566
Podpora sloupku univerzální
U 28-150mm - ZH
výška: 0,17kg/m

218567
Deska zvláštní do spárky
70x43mm - gorník, ZH M12
výška: 0,17kg/m

Provozovna a sklad:
Průmyslová 304
267 01, Králův Dvůr u Berouna
tel: 606 052 455
prodej@alsap.cz

Kancelář:
Lauzinova 529
293 01, Mladá Boleslav
tel: 734 622 929
houser@alsap.cz

Kancelář a sklad:
Pavelskova 2
779 00, Olomouc
tel: 731 000 782
stecker@alsap.cz

www.alsap.cz



